

Zip[®]
Instant Boiling Water



The new **Zip HydroTap[®] G4** for a healthier lifestyle

Boiling | **Chilled** | **Sparkling** | **Filtered** | **Instantly**
The world's most advanced drinking water appliance.



Now with new **Zip G4** energy-saving technology.



Appliance warranty 36 months. Tank warranty 60 months. See details inside.

Zip®

Instant Boiling Water



Zip brings you the most intelligent filtered drinking water tap ever invented.

- **Adjustable water temperature:** boiling water 100°C to 68°C, chilled water 5°C to 14°C.
- **Power-Pulse™ electronic technology** controls the set boiling water temperature within 0.2° C.
- **Choice of fingertip control** for fast cup filling (lever down) or **hands-free** pot filling (lever up).
- **Can be set** to require **finger-thumb** operation for boiling water access, eliminating the risk of accidental use. Can also be set to "hot isolation mode" for increased safety.
- **Low-energy lights** signal boiling water is ready, chilled water is ready, or filter change is due.
- **Hidden light sensor** sends appliance to sleep to conserve energy when the room goes dark.
- **Sleeps or powers off** after 2 hours of non-use; exceeds Australian Building Code requirements.
- **Plus 24/7 on/off** timing allowing power to be turned off for weekday or weekend periods.
- **Longer spout** caters for under-mounted sinks. Extended levers & Braille pads also available.

For healthier drinking, Zip HydroTap now filters your water **25 times finer than before.**

Zip 0.2 micron filter brings you what is arguably the most advanced and most practical water filtration system available anywhere in the world today, developed to meet Zip's exacting specifications by the world leader in water filter technology.

Zip 0.2 micron filter puts crystal-clear, better-tasting water on tap, filtering out chlorine taste and odour, lead, and impurities as tiny as **one five-thousandth of a millimetre**, including protozoan cysts such as Cryptosporidium. Also reduces accumulation of mineral scale in boiling water appliances, but does not remove beneficial fluoride.



Look for the NSF symbol on any water filter label. It is the only way you know for sure that your filter is tested and certified by the globally recognised NSF International Organisation against NSF/ANSI standards 42 and 53.

Saving time, energy and money every single day



New under-bench Zip Command-Centre units are more compact than ever before and have all connection points at the rear to make neat installation simpler. A front access door makes changing the filtration cartridge as simple and quick as replacing a light globe.

New G4 Zip Command-Centre™ leads the world in time-saving, energy-saving technology.

- **Advanced insulation** and electronics technology reduces standby energy consumption by **up to 55%** over earlier Zip models of similar capacity.
- **Self-calibrates boiling point** upon installation, regularly re-calibrates and optimises performance.
- **Simple pin-code-protected touch-screen** puts managers in total control of each appliance.
- **Adjustments include** temperature, dispensing time, safety settings, energy-saving settings.
- **Continuous self-diagnostics** system monitors performance, provides total history on demand.
- **Inbuilt cross-ventilation system** eliminates cupboard heat-up; no need for an external fan.
- **Multiple filter life settings**, with precise litre monitoring, to optimise filter replacement timing.
- **Added peace-of-mind features** include overload protection, temperature monitoring, internal leak detection, plus an internal pressure limiting valve.



Five Year Warranty.

Zip HydroTap G4 models shown here are covered by a comprehensive full parts and labour warranty for 36 months from date of purchase, plus a further 24 months tank warranty, provided any service required is carried out by a Zip-trained service provider and that water filter cartridge replacements are made at recommended intervals. Zip HydroTap G3 models are covered by a 24 month warranty. Details are supplied with each appliance and can be viewed at www.zipindustries.com

Zip HydroTap now supports your sustainability aims as never before.



- **Conserves water.** New, improved air-cooled system with inbuilt cross-ventilation, does not dump water to waste. An environmentally responsible solution.
- **Conserves energy.** Choice of four energy-saving settings to allow site managers to adjust each installation to operate with optimum energy efficiency.
- **RoHS Compliant.** All materials involved in Zip HydroTap manufacture comply with the European Restriction of Hazardous Substances Directive 2002/95/EC.
- **Red List Compliant.** Designed to meet the sustainable initiatives of the Living Building Challenge by eliminating prohibited materials shown on the LBC Red List.

Cut standby operating power usage by up to 55%

Zip HydroTap® Sparkling

Boiling | Chilled | Sparkling | Filtered | Instantly





In addition to boiling and chilled filtered water, **Zip HydroTap Sparkling** gives sparkling chilled filtered water at a fraction of the cost of bottled water.

Order Code	HT1699
Zip Model	BCS 120/125 G3
Boiling cups/hr	120
Chilled glasses/hr	125
Rating @ 230 V	2.1 kW
W x D x H (mm)	385 x 413 x 349

Order codes shown here are for the models installed on a sink. To install on a 'font' also specify a font kit: order code 90915.

Zip HydroTap All-in-One Sparkling gives hot water, cold water, – plus boiling, chilled and sparkling filtered water from a single swivel action tap connected to hot and cold water supply.


Order Code	HT1718
Zip Model	AIO BCSHA 120/125 G3
Boiling cups/hour	120
Chilled glasses/hour	125
Rating @ 230 V	2.1 kW
W x D x H (mm)	385 x 413 x 349



Brilliant for board rooms, in kitchens, at work and at home

Zip HydroTap® G4 Options

Boiling | **Chilled** | Filtered | Instantly



Using up to 55% less power on standby than earlier equivalent models, **Zip HydroTap G4 Commercial** delivers boiling and chilled filtered water in a choice of capacities.

Order Code	HT1703	HT1704	HT1705
Zip Model	BC 160/125 G4	BC 160/175 G4	BC 240/175 G4
Boiling cups/hr	160	160	240
Chilled glasses/hr	125	175	175
Rating @ 230 V	2.1 kW	2.1 kW	2.1 + 2.2 kW
W x D x H (mm)	394 x 464 x 333	394 x 464 x 333	394 x 464 x 333
Custodial	HT 1743	HT 1744	HT 1745
Industrial	HT 1746	HT 1747	HT 1748

Order codes shown here are for the models installed on a sink. To install on a 'font' also specify a font kit: order code 90915.

NOTE: All Zip HydroTap G4 models rated at 240 cups of boiling water per hour are installed with a 2.2 kW externally mounted booster unit and must be connected to two separate 10 amp power points.

Boiling | **Ambient** | Filtered | Instantly

Order Code	HT1708	HT1709
Zip Model	BA 160 G4	BA 240 G4
Boiling cups/hr	160	240
Chilled glasses/hr	-	-
Rating @ 230 V	1.85 kW	1.85 + 2.2 kW
W x D x H (mm)	280 x 313 x 333	280 x 313 x 333

Boiling | Filtered | Instantly

Order Code	HT1706	HT1707
Zip Model	B 160 G4	B 240 G4
Boiling cups/hr	160	240
Chilled glasses/hr	-	-
Rating @ 230 V	1.85 kW	1.85 + 2.2 kW
W x D x H (mm)	280 x 313 x 333	280 x 313 x 333

Chilled | Filtered | Instantly

Order Code	HT1710	HT1711
Zip Model	C 125 G4	C 175 G4
Boiling cups/hr	-	-
Chilled glasses/hr	125	175
Rating @ 230 V	0.2 kW	0.25 kW
W x D x H (mm)	280 x 476 x 333	280 x 476 x 333



Custodial
Side Touch-Tap




Industrial
Top Touch-Tap

Catering for all commercial, healthcare and government needs

Zip HydroTap® G4 Options

Boiling | **Chilled** | **Filtered** | **Instantly** | **+ Hot/Cold**



Systems mixing boiling water with cold water to give hot water. No separate HWS or hot water connection required.

Zip HydroTap 4-In-1 with hot/cold mixer and boiling/chilled tap.

Classic Mixer	HT 1722	HT 1723	HT 1724
Tall Mixer	HT 1725	HT 1726	HT 1727
Square Mixer	HT 1728	HT 1729	HT 1730
Boiling cups/hr	160	160	240
Chilled glasses/hr	125	175	175
Rating @ 230 V	2.1 kW	2.1 kW	2.1 + 2.2 kW
W x D x H (mm)	394 x 464 x 333	394 x 464 x 333	394 x 464 x 333

Zip HydroTap 4-In-1 with hot/cold mixer and boiling/ambient tap.

Classic Mixer	HT 1731	HT 1732
Tall Mixer	HT 1733	HT 1734
Square Mixer	HT 1735	HT 1736
Boiling cups/hr	160	240
Rating @ 230 V	2.1 kW	2.1 + 2.2 kW
W x D x H (mm)	280 x 313 x 333	280 x 313 x 333

Zip HydroTap 3-In-1 with hot/cold mixer and boiling tap.

Classic Mixer	HT 1737	HT 1738
Tall Mixer	HT 1739	HT 1740
Square Mixer	HT 1741	HT 1742
Boiling cups/hr	160	240
Rating @ 230 V	2.1 kW	2.1 + 2.2 kW
W x D x H (mm)	280 x 313 x 333	280 x 313 x 333

Zip HydroTap All-In-One with hot/cold mixer & boiling/chilled tap.

(Mains) Input hot & cold	HT 1712	HT 1713	HT 1714
(Vented) Input cold only	HT 1715	HT 1716	HT 1717
Boiling cups/hr	160	160	240
Chilled glasses/hr	125	175	175
Rating @ 230 V	2.1 kW	2.1 kW	2.1 + 2.2 kW
W x D x H (mm)	394x464x333	394x464x333	394x464x333

Vented system mixes boiling water with cold water to give hot water. No separate hot water service or hot water connection required.




WELS rating for All-In-One vented

NOTE: All Zip HydroTap G4 models rated at 240 cups of boiling water per hour are installed with a 2.2 kW externally mounted booster unit and must be connected to two separate 10 amp power points.


To install on a 'font' also specify a font kit: order code 90915.




WELS rating is for mixer tap



Classic Mixer



Square Mixer




Tall Mixer

Cuts fit-out costs dramatically - no separate HWS needed

Zip HydroTap® Compact

Boiling | Chilled | Filtered | Instantly



Compact, simple solution for small office needs. Boiling filtered water for tea and coffee, instantly. Plus great-tasting chilled drinking water on tap.

Order Code	HT1702
Zip Model	BC120/60 G3
Boiling cups/hr	120
Chilled glasses/hr	60
Rating @ 230 V	2.1 kW
W x D x H (mm)	385 x 380 x 348

Order code shown here for the model installed on a sink. To install on a 'font' also specify a font kit: order code 90915.



Extended levers



Braille pads

Extended levers and **Braille pads** can be fitted to all Zip Hydrotap models except All-In-One Industrial and Custodial. Call for details.



For smaller offices and smaller spaces



Your choice of Zip HydroTap is so right.

Whichever Zip HydroTap model you choose, you can be quite certain of one thing. Nobody offers you a more advanced boiling or chilled water system for your commercial project, because nobody knows instant boiling water like Zip.

Today millions of people around the world use Australian designed and Australian made Zip instant boiling water systems each day in homes, public buildings, hospitals, schools, offices and factories in more than sixty countries, as well as in every region of Australia.

Zip remains world leader in instant boiling water, setting the pace in time-saving, energy-saving, water-conserving and user-safety technology.

You can be confident that the Zip HydroTap you choose today is a sound investment, because it is by far the best of its kind, designed to save you time, energy and money every day, for many years to come.

Michael Crouch AO
Founder
Zip Industries

AUSTRALIA

Zip Heaters (Aust) Pty Ltd
1800 42 43 44
www.zipindustries.com

NEW ZEALAND

Zenith Heaters
+(64 9) 838 8612
www.zenithheaters.com

UNITED KINGDOM

Zip Heaters (UK) Ltd
+(44) 8456 005 005
www.zipheaters.co.uk

Also in Germany, South Africa, Hong Kong, Singapore, Thailand, Taiwan, Cyprus, Philippines, Middle East and China.

Note. Products shown in this brochure are protected by international patents. Further patents are pending. Copyright 2013. Zip reserves the right to change product specifications without notice. Whilst every endeavour is made to ensure accuracy, no responsibility is taken for any errors or omissions in detail. The terms "Zip", "HydroTap", "Power-Pulse" and "Zip Command-Centre" are trade marks.



A national network of more than 300 trained service providers installs and services Zip instant boiling water heaters in every part of Australia.

